

AGUAPLAST RENOVA JOINT

Ref.	13000007431/
Rev. no.	1.2
Revision Date	17.03.2022
Print Date	17.03.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Information on hazard class	ses as defined in Regulation (EC) No 1272/2008
Trade name	AGUAPLAST RENOVA JOINT

1.2 Relevant identified uses of the substance or mixture and uses advised against	filling and levelling coat
Uses advised against	This information is not available.
1.3 Details of the supplier of the safety data sheet	Beissier S.A.U. Txirrita Maleo, 14 20 100 Errentería (Guipúzcoa) Phone: +34 943 344 070 Fax: +34 943 517 802
E-mail address of person responsible for the SDS European Union	beissier.laboratorio@beissier.es
1.4 Emergency telephone number European Union	Phone: +44 (0)1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction

AGUAPLAST RENOVA JOINT

mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1). May produce an allergic reaction.

These are preservatives. Avoid contact with the skin and the eyes.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No. Registration number		(//)
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	6846-50-0 229-934-9 01-2119451093-47- XXXX	Repr. 2; H361d Aquatic Chronic 3; H412	≥ 0,25 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 ≥ 0,05 %	≥ 0,025 - < 0,05
2-octyl-2H-isothiazol-3-one	26530-20-1 247-761-7 613-112-00-5	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic	≥ 0,0015 - < 0,005

according t	to	Regulation	(EC)	No.
		19	907/2	2006

AGUAPLAST RENOVA JOINT

reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one[EC no.247-500- 7]and 2-methyl-2H-isothiazol-3- one[EC no.220-239-6] (3:1)	55965-84-9 613-167-00-5	aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 ≥ 0,0015 % Acute toxicity estimate Acute oral toxicity: 125 mg/kg Acute inhalation toxicity: 0,27 mg/l Acute dermal toxicity: 311 mg/kg Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 2; H310 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1C; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Dam. 1; H318 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 ≥ 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 ≥ 0,0015 % Eye Dam. 1 ≥ 0,6 %	≥0,0002 - < 0,0015
--	----------------------------	---	-----------------------

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

In the case of accident or if you feel unwell, seek medical advice

according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET AGUAPLAST RENOVA JOINT

	immediately (show the label where possible).	
	Never give anything by mouth to an unconscious person.	
	If unconscious, place in recovery position and seek medical	
	advice.	
Inhalation	Remove to fresh air.	
	Keep patient warm and at rest.	
	If breathing is irregular or stopped, administer artificial respiration.	
	If symptoms persist, call a physician.	
Skin contact	Take off all contaminated clothing immediately.	
	Wash skin thoroughly with soap and water or use recognized skin	
	cleanser.	
	Do NOT use solvents or thinners.	
	If skin irritation persists, call a physician.	
Eye contact	In case of eye contact, remove contact lens and rinse immediately	
	with plenty of water, also under the eyelids, for at least 15	
	minutes.	
	Seek medical advice.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
-	Do NOT induce vomiting.	
	Obtain medical attention.	
	Keep at rest.	
4.2 Most important symptoms and effects, both acute and delayed		

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray
Unsuitable extinguishing media	High volume water jet
5.2 Special hazards	Fire may cause evolution of:
arising from the	Carbon monoxide
substance or mixture	Carbon dioxide (CO2)
	Nitrogen oxides (NOx)
	Exposure to decomposition products may be a hazard to health.
5.3 Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Additional advice	Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Do not breathe vapour.
6.2 Environmental	The product should not be allowed to enter drains, water courses

precautions	or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean with detergents. Avoid solvents. Dispose of contaminated material as waste according to item 13. Clean contaminated surface thoroughly.
6.4 Reference to other sections	Refer to protective measures listed in sections 7 and 8.

according to Regulation (EC) No.

1907/2006

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Prevent unauthorized access. Provide sufficient air exchange and/or exhaust in work rooms. Comply with the statutory regulations on health and safety at work.
Hygiene measures	Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Observe label precautions. Protect from frost, heat and sunlight.
Advice on common storage	Keep away from oxidizing agents and strongly acid or alkaline materials.
7.3 Specific end use(s)	For further information, see also Technical Data Sheet for the product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limit(s)

Components		CAS-No.
Basis	Туре:	Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

AGUAPLAST RENOVA JOINT

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

a) Eye/face protection	Wear protective goggles for protection against splashed liquid.
b) Skin protection Hand protection	Safety glasses with side-shields conforming to EN166
	Recommended preventive skin protection Before starting work, apply water-resistant skincare preparations to exposed skin areas. Protective gloves should be worn in case of skin contact during preparation and application.
	Break through time: 480 min Minimum thickness: 0,11 mm Gloves made of nitrile rubber,e.g. KCL 740 Dermatril® (Kächele- Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Cotton undergloves are recommendable when wearing protective gloves! Skin that comes into contact with the product should be treated with protective cream. After such contact, the product concerned should under no circumstances be used.
	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The choice of an appropriate glove does not only depend on its
Dedu Dretestion	material but also on other quality features and is different from one producer to the other.
Body Protection	Work clothes Skin should be washed after contact. Do NOT use solvents or thinners.
c) Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Employees involved in spraying work or in the immediate vicinity of such work should use a P2 particle filter against spray fog.
Environmental exposure con	Respiratory protection complying with EN 143. trols
General advice	The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET

AGUAPLAST RENOVA JOINT

Appearance Colour Odour Odour Threshold	paste white characteristic No data available
pH	ca. 7,5 - 8,5 (20 °C)
Melting point/freezing point	No data available
Initial boiling point and boiling	No data available
range Flash point	Not applicable
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Upper explosion limit / Upper flammability limit	No data available
Lower explosion limit / Lower flammability limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	ca. 1,6 g/cm³ (23 °C)
Solubility(ies) Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	miscible not determined not auto-flammable
Decomposition temperature	No data available
Viscosity Viscosity, dynamic	No data available
Explosive properties	Not explosive
Oxidizing properties	Not applicable
9.2 Other information	

Flow time

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions This information is not available.

10.4 Conditions to avoid

Conditions to avoid

Stable under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

Materials to avoid

Strong acids and strong bases Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes Acute toxicity Product:	as defined in Regulation (EC) No 1272/2008
Acute oral toxicity	Based on available data, the classification criteria are not met.
Acute inhalation toxicity	Based on available data, the classification criteria are not met.
Acute dermal toxicity	Based on available data, the classification criteria are not met.
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one: Acute oral toxicity	Harmful if swallowed.
2-octyl-2H-isothiazol-3-one: Acute oral toxicity	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
reaction mass of E chlore 2 m	athyl 4 iaathiazalin 2 anaIEC na 247 500 71and 2 mathyl 24

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):

AGUAPLAST RENOVA JOINT

Acute oral toxicity	Toxic if swallowed.	
Acute inhalation toxicity	Assessment: Corrosive to the respiratory tract. Fatal if inhaled.	
Acute dermal toxicity	Fatal in contact with skin.	
Skin corrosion/irritation <u>Product:</u>	Based on available data, the classification criteria are not met.	
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one:	Causes skin irritation.	
2-octyl-2H-isothiazol-3-one:	Causes severe skin burns and eye damage.	
reaction mass of: 5-chloro-2-m isothiazol-3-one[EC no.220-239	ethyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H- D-6] (3:1): Causes severe skin burns and eye damage.	
Serious eye damage/eye irritat <u>Product:</u>	ion Based on available data, the classification criteria are not met.	
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one:	Causes serious eye damage.	
2-octyl-2H-isothiazol-3-one:	Causes serious eye damage.	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H- isothiazol-3-one[EC no.220-239-6] (3:1): Causes serious eye damage.		
Respiratory or skin sensitisation	on	
Product: Exposure routes	Inhalation Based on available data, the classification criteria are not met.	
Exposure routes	Skin contact Based on available data, the classification criteria are not met. The toxicological data has been taken from products of similar composition.	
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one:	May cause an allergic skin reaction.	
2-octyl-2H-isothiazol-3-one:	May cause an allergic skin reaction.	

AGUAPLAST RENOVA JOINT

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):

May cause an allergic skin reaction.

Germ cell mutagenicity Product:	
Genotoxicity in vitro	Based on available data, the classification criteria are not met.
Carcinogenicity <u>Product:</u>	
	Based on available data, the classification criteria are not me
Reproductive toxicity Product:	
Effects on fertility	Based on available data, the classification criteria are not met.
Developmental Toxicity	Based on available data, the classification criteria are not met.
Components:	
1-isopropyl-2,2-dimethyltrime Developmental Toxicity	ethylene diisobutyrate: Suspected of damaging the unborn child.
STOT - single exposure	
Product:	Based on available data, the classification criteria are not me
STOT - repeated exposure	
Product:	Based on available data, the classification criteria are not me
Aspiration toxicity <u>Product:</u>	
Based on available data, the cla	assification criteria are not met.
Further information	
<u>Product:</u>	The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).
Information on other hazards	i de la constante de la constan
Endocrine disrupting propert	
Product: Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information Product:	

AGUAPLAST RENOVA JOINT

Remarks

: The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
<u>Product:</u> Toxicity to fish	No data available
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one: Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia (water flea)): 2,94 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	1
Toxicity to microorganisms	EC50 (Pseudomonas putida): 0,4 mg/l Exposure time: 16 h
2-octyl-2H-isothiazol-3-one: Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,05 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 0,42 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC: 0,058 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	100
	ethyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H- D-6] (3:1): LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia (water flea)): 0,12 mg/l Exposure time: 48 h

AGUAPLAST RENOVA JOINT

Toxicity to algae/aquatic plants	EC50 (Skeletonema costatum (marine diatom)): 0,0052 mg/l Exposure time: 48 h
	NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	100
Toxicity to fish (Chronic toxicity)	NOEC: 0,098 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC: 0,004 mg/l Exposure time: 21 d Species: Daphnia (water flea)
M-Factor (Chronic aquatic toxicity)	100
12.2 Persistence and degradability	
Product: Biodegradability	No data available
<u>Components:</u> 1,2-benzisothiazol-3(2H)-one: Biodegradability	rapidly degradable Biodegradation: >90 % Method: OECD Test Guideline 303A
2-octyl-2H-isothiazol-3-one: Biodegradability	Not readily biodegradable.
isothiazol-3-one[EC no.220-23	
Biodegradability	not rapidly degradable
12.3 Bioaccumulative potential	
Product: Bioaccumulation	No data available
Components: 1,2-benzisothiazol-3(2H)-one: Partition coefficient: n- octanol/water 12.4 Mobility in soil Descharts	log Pow: 0,4
<u>Product:</u> Mobility	No data available
12.5 Results of PBT and vPvB asso Product:	essment
Assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information

Do not allow product to enter into ground water, bodies of water or sewage systems.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment method	ls
Product	The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste" Allow plaster residues to dry, or thicken with cementitious binders.
Contaminated packaging Waste key for the unused product	Unhardened product residues should be disposed of under the recommended waste code number. Packaging that is not properly emptied must be disposed of as the unused product. Empty packaging should be recycled through disposal systems. 08 01 12 Waste paint and varnish other than those covered by 08 01 11

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

14.6 Special precautions for user

Remarks

This information is not available.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC Directive 2010/75/EU 0,6 %

VOC Directive 2004/42/EC

does not fall under Directive 2004/42/EC

Regulation (EC) No 649/2012 Not applicable of the European Parliament and the Council concerning the export and import of dangerous chemicals

Other regulations

Comply with the statutory regulations on health and safety at work.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

Full text of H-Statements

H301

: Toxic if swallowed.

AGUAPLAST RENOVA JOINT

H302	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H361d :	Suspected of damaging the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET AGUAPLAST RENOVA JOINT

Further information

Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS Contact person European Union REG_EU / EN

beissier.laboratorio@beissier.es