

## SAFETY DATA SHEET

# AGUAPLAST WOODFILLER

|               |               |
|---------------|---------------|
| Ref.          | 130000007441/ |
| Rev. no.      | 1.3           |
| Revision Date | 25.10.2024    |
| Print Date    | 29.10.2024    |

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name AGUAPLAST WOODFILLER

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Coating material

Uses advised against This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Beissier S.A.U.  
Txirrita Maleo, 14  
20 100 Errentería (Guipúzcoa)  
Phone: +34 943 344 070  
Fax: +34 943 517 802

E-mail address of person responsible for the SDS European Union beissier.laboratorio@beissier.es

1.4 Emergency telephone number European Union Phone: +44 (0) 1865 407333

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

##### Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

These are preservatives.  
Avoid contact with the skin and the eyes.

**AGUAPLAST WOODFILLER****2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Components**

| Chemical name  | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number           | Classification  | Concentration<br>(% w/w) |
|--|---|---|--------------------------|
| 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate   | 6846-50-0<br>229-934-9<br>01-2119451093-47-XXXX                 | Repr. 2; H361d<br>Aquatic Chronic 3;<br>H412  | ≥ 0,25 - < 1             |
| 1,2-benzisothiazol-3(2H)-one   | 2634-33-5<br>220-120-9<br>613-088-00-6<br>01-2120761540-60-XXXX | Acute Tox. 4; H302<br>Acute Tox. 2; H330<br>Eye Dam. 1; H318<br>Skin Irrit. 2; H315<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1<br><br>specific concentration limit<br>Skin Sens. 1A<br>≥ 0,036 % | ≥ 0,025 - < 0,036        |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1) | 55965-84-9<br><br>613-167-00-5<br>01-2120764691-48-XXXX         | Acute Tox. 2; H330<br>Acute Tox. 2; H310<br>Acute Tox. 3; H301<br>Skin Corr. 1C; H314<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1;<br>H410<br>Eye Dam. 1; H318<br>EUH071<br><br>M-Factor (Acute aquatic toxicity): 100<br>M-Factor (Chronic aquatic toxicity): 100<br><br>specific concentration | ≥ 0,0002 - < 0,0015      |

## AGUAPLAST WOODFILLER

|                              |   |   |                          |
|------------------------------|---|---|--------------------------|
|                              |   | limit<br>Skin Corr. 1C<br>$\geq 0,6 \%$<br>Skin Irrit. 2<br>$0,06 - < 0,6 \%$<br>Eye Irrit. 2<br>$0,06 - < 0,6 \%$<br>Skin Sens. 1A<br>$\geq 0,0015 \%$<br>Eye Dam. 1<br>$\geq 0,6 \%$  |                          |
| 2-methyl-2H-isothiazol-3-one | 2682-20-4<br>220-239-6<br>01-2120764690-50-XXXX | Acute Tox. 3; H301<br>Acute Tox. 3; H311<br>Acute Tox. 2; H330<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1;<br>H410<br>EUH071<br><br><hr/> M-Factor (Acute aquatic toxicity): 10<br>M-Factor (Chronic aquatic toxicity): 1<br><br><hr/> specific concentration limit<br>Skin Sens. 1A<br>$\geq 0,0015 \%$ | $\geq 0,0002 - < 0,0015$ |

For explanation of abbreviations see section 16.

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

|                |  |
|----------------|--|
| General advice | In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).<br>Never give anything by mouth to an unconscious person.<br>If unconscious, place in recovery position and seek medical advice. |
| Inhalation     | Remove to fresh air.<br>Keep patient warm and at rest.<br>If breathing is irregular or stopped, administer artificial respiration.<br>If symptoms persist, call a physician.   |
| Skin contact   | Take off all contaminated clothing immediately.<br>Wash skin thoroughly with soap and water or use recognized skin cleanser.<br>Do NOT use solvents or thinners.<br>If skin irritation persists, call a physician.                               |
| Eye contact    | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Seek medical advice.   |
| Ingestion      | Clean mouth with water and drink afterwards plenty of water.   |

**AGUAPLAST WOODFILLER**

Do NOT induce vomiting.  
Obtain medical attention.  
Keep at rest.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment Treat symptomatically.  
No information available.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable extinguishing media Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray

Unsuitable extinguishing media High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Fire may cause evolution of:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters**

Additional advice

Exposure to decomposition products may be a hazard to health.  
Wear self-contained breathing apparatus for firefighting if necessary.  
Use water spray to cool unopened containers.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.  
Do not breathe vapours.

**6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Clean with detergents. Avoid solvents.  
Dispose of contaminated material as waste according to item 13.  
Clean contaminated surface thoroughly.

**6.4 Reference to other sections**

Refer to protective measures listed in sections 7 and 8.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Advice on safe handling

Avoid contact with skin and eyes.  
Prevent unauthorized access.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Comply with the statutory regulations on health and safety at work.

Hygiene measures

Wash hands before breaks and at the end of workday.  
When using do not eat, drink or smoke.  
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

# AGUAPLAST WOODFILLER

## 7.2 Conditions for safe storage, including any incompatibilities

|   |   |
|---|---|
| Requirements for storage areas and containers | Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Store in original container.<br>Observe label precautions. |
| Advice on common storage                      | Protect from frost, heat and sunlight.<br>Keep away from oxidizing agents and strongly acid or alkaline materials.  |

**7.3 Specific end use(s)** For further information, see also Technical Data Sheet for the product.

|   |
|---|
| <b>SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</b> |
|---|

## 8.1 Control parameters

### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.  
The lists that were valid during the creation were used as basis.

|| Monitoring procedures for the assessment of workplace exposure: standard EN 482

## 8.2 Exposure controls

### Engineering measures

Provide adequate ventilation.

### Personal protective equipment

Eye/face protection : Wear protective goggles for protection against splashed liquid.

Safety glasses with side-shields conforming to EN166

Hand protection

Break through time : 480 min

Glove thickness : 0,11 mm

Remarks : Recommended preventive skin protection Before starting work, apply water-resistant skincare preparations to exposed skin areas. Protective gloves should be worn in case of skin contact during preparation and application.

Gloves made of nitrile rubber, e.g. KCL 740 Dermatril® (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Cotton undergloves are recommendable when wearing protective gloves! Skin that comes into contact with the product should be treated with protective cream. After such contact, the product concerned should under no circumstances be used.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Work clothes

# AGUAPLAST WOODFILLER

Skin should be washed after contact.

Do NOT use solvents or thinners.

Respiratory protection : No personal respiratory protective equipment normally required.

In case of insufficient ventilation, wear suitable respiratory equipment.

Employees involved in spraying work or in the immediate vicinity of such work should use a P2 particle filter against spray fog.

Respiratory protection complying with EN 143.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|  |   |                   |
|--|---|-------------------|
| Physical state                                   | : | paste             |
| Colour   | : | various           |
| Odour  | : | characteristic    |
| Odour Threshold                                  | : | No data available |
| Melting point/freezing point                     | : | No data available |
| Initial boiling point and boiling range          | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point                                      | : | Not applicable    |
| pH   | : | ca. 8 - 9 (20 °C) |

**AGUAPLAST WOODFILLER**

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Solubility(ies)  
Water solubility : Not applicable

Partition coefficient: n-  
octanol/water : not determined

Vapour pressure : No data available

Density : ca. 1,4 g/cm<sup>3</sup>

Relative vapour density : No data available

**9.2 Other information**

Explosives : Not explosive

Oxidizing properties : Not applicable

Flammability (liquids) : Not applicable

Self-ignition : not auto-flammable

Evaporation rate : not applicable

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

**AGUAPLAST WOODFILLER**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions                      This information is not available.

**10.4 Conditions to avoid**

Conditions to avoid                      Stable under recommended storage and handling conditions (see section 7).

**10.5 Incompatible materials**

Materials to avoid                      Strong acids and strong bases  
Strong oxidizing agents

**10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****Product:**

Acute oral toxicity                      Based on available data, the classification criteria are not met.

Acute inhalation toxicity                Based on available data, the classification criteria are not met.

Acute dermal toxicity                      Based on available data, the classification criteria are not met.

**Components:****1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity                      LD50 (Rat): 532 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity                LC50 (Rat): 0,4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):**

Acute oral toxicity                      Toxic if swallowed.

Acute inhalation toxicity                Assessment: Corrosive to the respiratory tract.  
Fatal if inhaled.

Acute dermal toxicity                      Fatal in contact with skin.

**2-methyl-2H-isothiazol-3-one:**

Acute oral toxicity                      Toxic if swallowed.

Acute inhalation toxicity                Assessment: Corrosive to the respiratory tract.  
Toxic if inhaled.

Acute dermal toxicity                      Toxic in contact with skin.

**Skin corrosion/irritation****Product:**

Based on available data, the classification criteria are not met.

# AGUAPLAST WOODFILLER

**Components:****1,2-benzisothiazol-3(2H)-one:**

Causes skin irritation.

**reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):**

Causes severe skin burns and eye damage.

**2-methyl-2H-isothiazol-3-one:**

Causes severe skin burns and eye damage.

**Serious eye damage/eye irritation****Product:**

Based on available data, the classification criteria are not met.

**Components:****1,2-benzisothiazol-3(2H)-one:**

Causes serious eye damage.

**reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):**

Causes serious eye damage.

**2-methyl-2H-isothiazol-3-one:**

Causes serious eye damage.

**Respiratory or skin sensitisation****Product:**

Based on available data, the classification criteria are not met.

**Components:****1,2-benzisothiazol-3(2H)-one:**

May cause an allergic skin reaction.

**reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):**

May cause an allergic skin reaction.

**2-methyl-2H-isothiazol-3-one:**

May cause an allergic skin reaction.

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro

Based on available data, the classification criteria are not met.

**Carcinogenicity****Product:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity****Product:**

Effects on fertility

Based on available data, the classification criteria are not met.

Developmental Toxicity

Based on available data, the classification criteria are not met.

**Components:****1-isopropyl-2,2-dimethyltrimethylene diisobutyrate:**

Developmental Toxicity

Suspected of damaging the unborn child.

**STOT - single exposure****Product:**

Based on available data, the classification criteria are not met.

**AGUAPLAST WOODFILLER****STOT - repeated exposure****Product:**

Based on available data, the classification criteria are not met.

**Aspiration toxicity****Product:**

Based on available data, the classification criteria are not met.

**Further information****Product:**

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

**11.2 Information on other hazards****Endocrine disrupting properties****Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Further information****Product:**

Remarks : The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Product:**

Toxicity to fish No data available

**Components:****1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia (water flea)): 3,27 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) 1

Toxicity to fish (Chronic toxicity) NOEC: 0,21 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic) NOEC: 1,2 mg/l  
Exposure time: 21 d

## AGUAPLAST WOODFILLER

|  |   |
|--|---|
| toxicity)  | Species: Daphnia (water flea)<br>Method: OECD Test Guideline 211  |
| M-Factor (Chronic aquatic toxicity)  | 1   |
| <b>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):</b> |   |
| Toxicity to fish   | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates  | EC50 (Daphnia (water flea)): 0,12 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants   | EC50 (Skeletonema costatum (marine diatom)): 0,0052 mg/l<br>Exposure time: 48 h<br><br>NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l<br>Exposure time: 48 h   |
| M-Factor (Acute aquatic toxicity)  | 100   |
| Toxicity to fish (Chronic toxicity)  | NOEC: 0,098 mg/l<br>Exposure time: 28 d<br>Species: Oncorhynchus mykiss (rainbow trout)<br>Method: OECD Test Guideline 210  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)   | NOEC: 0,004 mg/l<br>Exposure time: 21 d<br>Species: Daphnia (water flea)  |
| M-Factor (Chronic aquatic toxicity)  | 100   |
| <b>2-methyl-2H-isothiazol-3-one:</b><br>Toxicity to fish   | LC50 (Fish): 4,77 mg/l<br>Exposure time: 96 h<br>Test Type: flow-through test<br>Method: OECD Test Guideline 203  |
| Toxicity to daphnia and other aquatic invertebrates  | LC50 (Daphnia magna (Water flea)): 0,934 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202   |
| Toxicity to algae/aquatic plants   | NOEC (Pseudokirchneriella subcapitata (algae)): 0,05 mg/l<br>Exposure time: 120 h<br>Test Type: static test<br><br>EC50 (Pseudokirchneriella subcapitata (algae)): 0,138 mg/l<br>Exposure time: 120 h<br>Test Type: static test |
| M-Factor (Acute aquatic toxicity)  | 10  |
| Toxicity to microorganisms   | EC50 (activated sludge): 41 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209   |
| Toxicity to fish (Chronic toxicity)  | NOEC: 2,38 mg/l<br>Exposure time: 98 d<br>Species: Oncorhynchus mykiss (rainbow trout)<br>Method: OECD Test Guideline 210   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)   | NOEC: 0,044 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)  |

**AGUAPLAST WOODFILLER**

Method: OECD Test Guideline 211

|  |   |
|--|---|
| M-Factor (Chronic aquatic toxicity)  | 1   |
| <b>12.2 Persistence and degradability</b>  |   |
| <b>Product:</b>  |   |
| Biodegradability   | No data available   |
| <b>Components:</b>   |   |
| <b>1,2-benzisothiazol-3(2H)-one:</b>   |   |
| Biodegradability   | not rapidly degradable  |
| <b>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1):</b> |   |
| Biodegradability   | not rapidly degradable  |
| <b>2-methyl-2H-isothiazol-3-one:</b>   |   |
| Biodegradability   | Readily biodegradable.  |
| <b>12.3 Bioaccumulative potential</b>  |   |
| <b>Product:</b>  |   |
| Bioaccumulation  | No data available   |
| <b>Components:</b>   |   |
| <b>1,2-benzisothiazol-3(2H)-one:</b>   |   |
| Partition coefficient: n-octanol/water   | log Pow: 0,7<br>Method: OECD Test Guideline 117   |
| <b>2-methyl-2H-isothiazol-3-one:</b>   |   |
| Bioaccumulation  | Bioconcentration factor (BCF): 3,16   |
| <b>12.4 Mobility in soil</b>   |   |
| <b>Product:</b>  |   |
| Mobility   | No data available   |
| <b>12.5 Results of PBT and vPvB assessment</b>   |   |
| <b>Product:</b>  |   |
| Assessment   | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..   |
| <b>12.6 Endocrine disrupting properties</b>  |   |
| <b>Product:</b>  |   |
| Assessment   | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| <b>12.7 Other adverse effects</b>  |   |
| <b>Product:</b>  |   |
| Additional ecological information  | Do not allow product to enter into ground water, bodies of water or sewage systems.   |

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

|         |  |
|---------|--|
| Product | The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste" |
|---------|--|

**AGUAPLAST WOODFILLER**

Allow plaster residues to dry, or thicken with cementitious binders.

|                                  |   |
|----------------------------------|---|
| Contaminated packaging           | Unhardened product residues should be disposed of under the recommended waste code number.<br>Packaging that is not properly emptied must be disposed of as the unused product. |
| Waste key for the unused product | Empty packaging should be recycled through disposal systems.<br>08 01 12 Waste paint and varnish other than those covered by 08 01 11   |

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number or ID number**

Not regulated as a dangerous good

**14.2 UN proper shipping name**

Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

Not regulated as a dangerous good

**14.4 Packing group**

Not regulated as a dangerous good

**14.5 Environmental hazards****14.6 Special precautions for user**

|         |                                    |
|---------|------------------------------------|
| Remarks | This information is not available. |
|---------|------------------------------------|

**14.7 Maritime transport in bulk according to IMO instruments**

|         |                |
|---------|----------------|
| Remarks | Not applicable |
|---------|----------------|

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                             |     |
|-----------------------------|-----|
| VOC<br>Directive 2010/75/EU | 2 % |
|-----------------------------|-----|

|                             |  |
|-----------------------------|--|
| VOC<br>Directive 2004/42/EC |  |
|-----------------------------|--|

does not fall under Directive 2004/42/EC

|  |                |
|--|----------------|
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | Not applicable |
|--|----------------|

|                             |   |
|-----------------------------|---|
| REACH - Restrictions on the | Conditions of restriction for the following entries should be considered: |
|-----------------------------|---|

**AGUAPLAST WOODFILLER**

manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

(75)1,2-benzisothiazol-3(2H)-one

Other regulations

Comply with the statutory regulations on health and safety at work.

**15.2 Chemical safety assessment**

This information is not available.

**SECTION 16: OTHER INFORMATION**

**Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.**

**Full text of H-Statements**

H301 : Toxic if swallowed.  
 H302 : Harmful if swallowed.  
 H310 : Fatal in contact with skin.  
 H311 : Toxic in contact with skin.  
 H314 : Causes severe skin burns and eye damage.  
 H315 : Causes skin irritation.  
 H317 : May cause an allergic skin reaction.  
 H318 : Causes serious eye damage.  
 H330 : Fatal if inhaled.  
 H361d : Suspected of damaging the unborn child.  
 H400 : Very toxic to aquatic life.  
 H410 : Very toxic to aquatic life with long lasting effects.  
 H412 : Harmful to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox. : Acute toxicity  
 Aquatic Acute : Short-term (acute) aquatic hazard  
 Aquatic Chronic : Long-term (chronic) aquatic hazard  
 Eye Dam. : Serious eye damage  
 Repr. : Reproductive toxicity  
 Skin Corr. : Skin corrosion  
 Skin Irrit. : Skin irritation  
 Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s.

# AGUAPLAST WOODFILLER

- Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

### Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS  
Contact person European  
Union  
REG\_EU / EN

[beissier.laboratorio@beissier.es](mailto:beissier.laboratorio@beissier.es)

# **AGUAPLAST WOODFILLER**